

Township of Breitung Agenda-Regular Board Meeting

Township of Breitung Regular Board Meeting 03/31/22

Breitung Community Center 12noon

- Call the meeting to order
- Acceptance of Agenda
- Approval of Minutes
 - 03-08-22 Board of Canvass Meeting
 - 03-17-22 Special Board Meeting
- **For Review Only 03-08-22 Annual Meeting**
- Approval of February 2022 Treasurer's Report
 - Checks Written 46246-46338
 - Total Disbursements \$79,594.39
 - Fund Balance \$339,518.38
 - Voided Checks-45495 and 46290
- Correspondence
 - Tower-Soudan Elementary students and staff-thank you
 - St Louis County Public Health Updates
 - MAT-Legislative Update
 - Community Giving
 - LMC-League Events, Learning Opportunities, Annual Conference
- Public Input

Reports:

- Police-See Attached
- Fire-See Attached
- Road and Bridge
- McKinley Park
- Recreation
- Wastewater Board
- Ambulance Commission

Acceptance of Reports

Old Business

- Township Operations
- St. Louis County Board of Adjustment Findings-Batinich
- CDBG Environmental Review Notification
- Stuntz Bay Road-SPRA request for support
- Vega-3 Grant Application-Breitung Township approved for \$1949.50 (69%)
- Breitung Police Department Body Worn Camera Policy
- Quote for Body Worn Camera
- Recreation Committee
 - DNR Grant Application-JPJ
 - Hockey Rink Lighting Estimate

New Business

- Pay Bills as Presented
- Letter from Matthew Tichel
- Board Vacancy
- Covid-19 Pet Health-Request for link on township website
- Small Business Request
- St Louis County Public Hearing on amendments to Ordinance 60

Reorganization Meeting-Thursday March 31, 2022-after regular meeting

Regular Board Meeting-Thursday April 28th, 2022 at 12noon

LBAE-May 17th, 2022 1pm-2pm

Adjourn

Township of Breitung Board of Canvass Meeting
03/08/2022 approximately 8:30pm
In Person Meeting at the Breitung Community Center

Board Members Present: Chairman Tim Tomsich, Supervisor Chuck Tekautz, Supervisor Greg Dostert, Clerk Dianna Sundahl, Treasurer Jorgine Gornick

Meeting called to order by Chairman Tomsich @ 8:35pm

Clerk Sundahl issued the Oath of Office to Board of Canvass Members

Clerk Sundahl presented Canvass Report

Supervisor -Matthew Tuchel 47 votes

Supervisor – Timothy Tomsich write-in 15 votes

Supervisor- Blank (1)

Clerk-Dianna Sundahl 59 votes

Clerk- Blank (4)

Board reviewed and concurred with reports presented

Motion by Supervisor Dostert to declare the results of the vote as presented
2nd by Supervisor Tekautz

Motion Passed 2-0

Chairman Tomsich abstained

Supervisors signed off on the Summary presented

Consensus to authorize clerk to issue a notification to candidates and request signed campaign financial forms within the time period

Adjourn:

Motion by Supervisor Tekautz to Adjourn the Meeting at 8:38pm

2nd by Supervisor Dostert

Motion Passed 3-0

Respectfully Submitted

Dianna Sundahl
Clerk, Breitung Township

Township of Breitung Special Board Meeting 03-17-22 at 5:30PM. In Person Meeting at the Breitung Community Center

Present In Person:

Board Members: Chairman Tim Tomsich, Supervisor Chuck Tekautz, Supervisor Greg Dostert, Treasurer Jorgine Gornick, Clerk Dianna Sundahl

Public: None

Call to Order @ 5:30pm by Chairman Tomsich

Approval of Minutes

Motion by Supervisor Dostert to accept the minutes of the 02-24-22 Meeting as presented
2nd by Supervisor Tekautz

Motion passed 3-0

Motion by Supervisor Dostert to accept the minutes of the Board of Audit Meeting with the following corrections and the revised Summary presented by Clerk Sundahl

Update Total Receipts, Transfers and Beginning Balance from \$2,172,383.55 to \$2,238,096.37

Update Disbursement & Transfers from \$1,805,204.00 to 1,855,816.82 with an EOY Balance for both the Clerk and Treasurer of \$382,279.55

2nd by Supervisor Tekautz

Motion passed 3-0

Old Business:

- Gravel, Crushing Rock, Road Work, Gravel Pit

Currently have \$49,106.44 in the Reserve Gravel Fund. Supervisor Tekautz stated that Nemanich from Mesabi Bituminous owes our gravel pit 500 yds from the Pine St Project, and next time he is up he will bring an example of the 10year lease to use the Township Gravel Pit.

New Business:

- Approval of Coronavirus Local Fiscal Recovery Funds

Motion by Supervisor Tekautz to approve the document as presented

2nd by Supervisor Dostert

Motion passed 3-0

- Approval of Assurances of Compliance with Civil Rights Requirements

Motion by Supervisor Dostert to approve the document as presented

2nd by Supervisor Tekautz

Motion passed 3-0

- Resolution 2022-07 Resolution Reestablishing Precincts and Polling Places
Motion by Supervisor Tekautz to accept the resolution as presented
2nd by Supervisor Dostert
Motion passed 3-0
- Resolution 2022-08 Resolution Supporting DNR Outdoor Grant Application
Motion by Supervisor Tekautz to accept the resolution as presented
2nd by Supervisor Dostert
Motion passed 3-0
- Resolution 2022-09 Resolution Accepting Donations
Motion by Supervisor Dostert to accept the resolution as presented
2nd by Supervisor Tekautz
Motion passed 3-0

Next Regular Board Meeting: Thursday, March 31st, 2022 at 12:00noon

Reorganizational Meeting: Thursday, March 31st, 2022 after Regular Board Meeting

Adjourn:

Motion by Supervisor Dostert to Adjourn the Meeting at 6:50pm

2nd by Supervisor Tekautz

Motion Passed 3-0

Respectfully Submitted
Dianna Sundahl
Clerk, Breitung Township

Township of Breitung Annual Meeting 03/08/2022-8:30 PM
In Person Meeting at the Breitung Community Center
33 First Avenue, Soudan Minnesota

Residents Present: Tim Tomsich, Dianna Sunsdahl, Jorgine Gornick, Lori Tomsich, Tony Sikora, Greg Dostert, Matt Tuchel, Rolf Anderson, Laurie Anderson, Trevor Banks, Charles Tekautz, Nancy Tekautz,

Non-Residents Present: Daniel Reing

Call to Order @ 8:38pm by Clerk Sunsdahl

Pledge of Allegiance

Moderator:

Motion by Chuck Tekautz to name Tim Tomsich Moderator
2nd by Greg Dostert

Motion passed unanimously

Minutes:

Motion by Matt Tuchel to dispense with reading of the 2021 Annual Meeting Minutes and approve as distributed
2nd by Rolf Anderson

Motion passed unanimously

Reports:

- Financial Report-read by Tim Tomsich
Motion made by Tony Sikora to accept Financial Report as presented
2nd by Trevor Banks
Motion passed unanimously
- Road and Bridge Report
Motion made Greg Dostert to accept Road and Bridge Report as presented
2nd by Rolf Anderson
Motion passed unanimously
- Police Report
Motion made by Chuck Tekautz to accept Police Report as presented
2nd by Laurie Anderson
Motion passed unanimously
- Fire and Rescue Report-Read by Trevor Banks, Chief
Motion by Laurie Anderson to accept Fire and Rescue Report as presented
2nd by Dianna Sunsdahl
Motion passed unanimously

- McKinley Park Report
Several comments on how well managed and maintained McKinley Park is
Motion by Matt Tuchel to accept report as presented
2nd by Chuck Tekautz
Motion passed unanimously
- Chairman's Report-read by Tim Tomsich
Motion made by Trevor Banks to accept report as presented
2nd by Tony Sikora
Motion passed unanimously
- Tax Levy
Motion made by Greg Dostert to accept the township levy with a 0% increase from 2022 and as presented, for a total tax levy of \$656,000.00 for 2023. The \$10k that was approved at the 2021 Annual Meeting for hockey boards was retained for the 2023 tax levy.
2nd by Dianna Sundahl
Motion passed unanimously
- Tower Soudan Historical Society Requesting \$1000.00 donation for ADA restrooms at the Historic Fire Hall in Soudan
Motion by Supervisor Dostert to donate \$500.00 to the TSHS
2nd by Dianna Sundahl
Motion passed with 1 nay by Tony Sikora
- No other business

Date for Next Annual Meeting:

March 14th, 2023

Adjourn:

Motion by Greg Dostert to Adjourn the Meeting at 9:25pm

2nd by Rolf Anderson

Motion Passed unanimously

Respectfully Submitted

Dianna Sundahl
Clerk, Breitung Township

Timothy Tomsich
Moderator, Breitung Township

TOWNSHIP OF BREITUNG

Feb-22

GENERAL	105,288.16
ROAD & BRIDGE	33,577.92
FIRE	26,219.62
PARK	12,056.04
RECREATION	14,576.12
POLICE	32,629.52
PROJECTS	61,064.59
WATER DEPT	54,106.41
ARPA	0.00
TOTALS	339,518.38

Wailang Isabel

Vinnie

Audriana

Soni

Maik

Ayza

Kaleesh
Nash

goli

Bray

Selah

Sherrie
Brenin

Nitoni's

Draya

Kai

Eliu

Lacy

She L

John

Thank you for letting us come and skate!!
Also, thank you for the cookies & hot cocoa!!!
The Tower-Soudan Elementary students & staff

Zaxton Jack

Beattler

Kasen

Kia

Silas

~~max~~ Josie

Kayla R

Jayden

Mrs. Howard
Mrs. Her

~~ma~~ Lorenzo
Emmett

Levi

Alene

P

Ms. S

~~ma~~

Dylan

Kia

Cody

Ayden

Harley

Tuy

Nail'ee

Kia

Cecilia

Sterling

Beth

Lucy

ma teo

ilan

SS GGA
Jason

Phoebe

Jade

ZAIJA

Bessie


Lily

Ava

Calvir
Norman

From: Carol Haasl <HaaslC@StLouisCountyMN.gov>
Sent: Friday, March 4, 2022 10:20 AM
To: Alango; Alborn; Alden; Angora; Aurora; Babbitt; Balken; Bassett; Beatty; Biwabik; Biwabik 1; Breitung (clerk@breitungtownship.org); Brookston; Buhl; Camp; Cherry; Chisholm; Clinton; Colvin; Cook; Crane Lake; Eagles Nest; Ellsburg (ellsburgtownship@gmail.com); Ely; Embarrass (embarrasstownship@frontiernet.net); Eveleth; Fairbanks; Fayal; Field; floodwood; French; Gilbert; Great Scott; Greenwood; Hibbing; Hoyt Lakes; Iron Junction; Kabetogama; Kelsey (slygh55724@msn.com); Kinney; Kugler; Lavell; Leiding; Leonidas; LG; Lindengrove; McKinley; Morcom; Morse; Mt. Iron; Orr; Owens; Pike; Portage; Sandy; Tower; Vermilion Lake; Virginia; Waasa; White; Willow Valley; Winton; Wuori
Subject: update

Dear Community Partner,
It's continued GOOD NEWS! as the number of new cases and hospital admissions attributed to COVID-19 keep dropping. Over the last week, we're averaging 38 new cases/day, which is the lowest we've seen since late August.



Other updates:

Kids Deserve a Shot scholarship program expands to include 5-11-year-olds. [News release: Governor Walz Announces Minnesota College Scholarship Registration as part of 'Kids Deserve a Shot' Incentive Program \(state.mn.us\)](#)

COVID-19 Community Levels: The CDC announced its updated guidance on masking last Friday. The great news is, yesterday, St. Louis County officially moved out of the "high" category and into the "low" category!!! The new framework moves beyond looking just at cases and test positivity to look at factors that reflect the severity of disease – including hospitalizations and hospital capacity – and helps to determine whether the level of COVID-19 and severe disease are low, medium, or high in a community. [COVID-19 Community Levels | CDC](#)

Here is a summary of prevention measures recommended by the CDC for the three Community Level categories:



March 11, 2022


Dear Community Partner,

It was two years ago today that the World Health Organization declared COVID-19 a pandemic. Since then, in St. Louis County, there have been 522 deaths from the virus and more than 46,000 infections of our 200,000 residents.

That said, our current COVID situation just keeps getting better and better! Our 7-day average for new cases has dropped to 24.4/day, the lowest it's been in more than seven months! There have been three newly reported deaths in the last week, and we continue to see an easing of the tremendous burden that our hospitals have been facing these past many months.

Updated guidance: With our COVID-19 Community Level now at "Low", (as is the case in most of MN and WI) it feels a bit like everyone has quickly moved back to pre-pandemic activities. But not quite.

- The TSA just announced masks will still be required on planes, trains and buses through April 18.
- MDH has this updated guidance, especially for people at increase risk: [Protect Yourself & Others: COVID-19 - Minnesota Dept. of Health \(state.mn.us\)](#)



Have a great weekend!


LIASON CONTACT INFO Carol Haas 218-471-7339 haaslc@stlouiscountymn.gov

- High - layered prevention measures are recommended to avoid overwhelming local hospitals and healthcare systems by preventing severe illness and death; these recommendations include universal masking in all indoor public settings.
- Medium - communities to focus on specific prevention measures for protecting those at increased risk of severe illness.
- Low - people, households, and communities can take minimal, practical precautions.

Have hope – every indicator is moving in the right direction! As always, give me a call or email if you have any questions!
LIASON CONTACT INFO Carol Haasl 218-471-7339 haaslc@stlouiscountymn.gov

Carol Haasl
Community Health worker
Public Health and Human Services
P.O. Box 1148
201 So 3rd Ave W.
Virginia, MN. 55792
Work Phone 218-471-7339
Fax 218-471-7601

From: Minnesota Association of Townships <info@mntownships.org>
Sent: Monday, March 14, 2022 2:18 PM
To: clerk@breitungtownship.org
Subject: Advocacy alert: Email legislators today on township priorities



Legislative Update & Advocacy Alert

March 14, 2022

Dear Township Officials:

Just a few clicks to **email your elected officials** will have a big impact.

MAT is working to pass additional transportation funding *specifically for townships* at the Minnesota State Capitol. Townships maintain approximately 39% of Minnesota's roads (over 55,000 miles), and are our largest budget expense.

We're trying to advance a bill to add a town board member to the state's LRIP Advisory Committee to the Department of Transportation.

We are supporting annexation equality through two bills. We believe annexation by contract is the preferred method because it requires agreement of both parties, protects the township and the city that made the contract, encourages cooperation, and reduces litigated annexation cases.

Broadband development also remains a priority. Let your elected officials know they need to focus on unserved areas as the top priority.

Your advocacy, as a constituent and township leader, is vital on behalf of all townships.

Please email your legislator today through MAT's Advocacy Website here. Urge them to support township priorities. It is easy with our pre-written, customizable letter.

This is a critical and timely issue for townships - and your voice to your state senator and representative will make a difference.

Thank you!

Minnesota Association of Townships
www.mntownships.org

From: CommunityGiving <marketing@communitygiving.org>
Sent: Monday, March 7, 2022 11:00 AM
To: clerk@breitungtownship.org
Subject: Placemaking - Transforming communities into the place people want to live, work and play



Thursday, March 17, 2022

11:00am - 1:00pm

Zoom Meeting - Join by Video or Conference Call

Register Here

With the new opportunities for remote work and a mental shift in priorities happening across the country, communities are taking a new look at why individuals, families and businesses would choose their community as the best fit for them to "live, work & play".

Placemaking is about strengthening the connection between people and places. And it's more than just planting a few trees and painting a utility box. Placemaking initiatives are able to strengthen economic development, encourage civic engagement and build resiliency along with increasing the quality of life.

Please join us for our next CommunityConnections webinar series as we share examples from across Minnesota on how towns have been diving into placemaking work and transforming their communities.

Our panel of presenters includes:

Kristin Allen, Greenwater Garage & Gallery in New London, MN

Michele Anderson, Springboard for the Arts in Fergus Falls, MN

Leslie LeCuyer, Central Minnesota Arts Board in St. Cloud, MN

Kara Maloney, Lansboro Arts in Lansboro, MN

Jennifer Penzkover, City of St. Cloud

Matt Udermann, Carver County Commissioner

Upcoming CommunityConnection Webinars

Building Community

Thursday, June 16, 2022

11:00am - 1:00pm

Upcoming Professional Advisor Webinars

Alternative Gift Options - Crypto, Real Estate & Beyond


Thursday, May 5, 2022

11:00am - 1:00pm

**Did you miss any of our previous
CommunityConnections webinars? Visit
www.communitygiving.org/communityconnections
to access the full library of resources!**

From: League of Minnesota Cities <members@lmc.org>
Sent: Friday, March 4, 2022 10:40 AM
To: clerk@breitungtownship.org
Subject: Upcoming Events & Learning: March 2022

[View this email in your browser](#)



Upcoming League Events & Learning



2022 Legislative Briefing

March 10 — 12-1 p.m.

The League's intergovernmental relations team will share an insider's perspective on emerging issues and the League's legislative priorities as they go through the latest news from the Capitol. *Have questions about the 2022 session? Send them to lmcwebinar@lmc.org*



2022 Safety and Loss Control

Workshops

Various dates and locations in March and April

Learn about issues that impact your work as you get tips for managing risk and handling common safety challenges.

MemberLearn Online Learning

Get to know MemberLearn — the League's new online learning platform. All you need is the internet and a phone, tablet, or computer and you will be able to access custom-designed courses that will help you build your city leadership skills.

Now available! You can now register for several free courses:

- **Roles and Responsibilities for Elected Officials**
- **Code Enforcement**

- [Cybersecurity for Clerks](#)
- [Roles and Responsibilities for City Clerks](#)
- [Filling a Council Vacancy](#)
- [Well-Being for City Officials: Taking Care of Ourselves and Our Teams](#)

Did You Miss a Webinar?

If you couldn't take part in a live webinar, or you want to rewatch one, you can view recent webinar recordings, including:

- [NEW! Land Use Regulation for Local Officials](#)
- [National Opioid Settlement Funds: What Cities Need to Know](#)
- [Peer Support Programs: Your Role in Helping Public Safety Personnel](#)
- [Redistricting Precincts and Wards](#)
- [Road to Recovery Series: Preparing for ARPA Reporting](#)
- [Fitting Technology Into Your City's Budget](#)



Copyright © 2022 League of Minnesota Cities, All rights reserved.

As part of your membership in the League of Minnesota Cities, you will receive occasional emails from us about our events, products, and services. You can opt out of these emails by clicking the unsubscribe link below.

Our mailing address is:


League of Minnesota Cities
145 University Ave W
Saint Paul, MN 55103-2044

[Add us to your address book](#)

[unsubscribe from this list.](#)

From: League of Minnesota Cities <members@lmc.org>
Sent: Wednesday, March 16, 2022 3:17 PM
To: clerk@breitungtownship.org
Subject: Come to Duluth this June for the 2022 Annual Conference!

[View this email in your browser](#)




Register Now for the 2022 Annual Conference

Get ready to connect with colleagues from across the state *in person* at the 2022 Annual Conference June 22-24 in Duluth! This year's conference will be jam-packed with exciting ideas and creative solutions you can bring back to your city!

Don't forget to reserve your hotel room. Hotels in Duluth fill up fast.

Don't miss a minute of the action — register today!



Dig deep as you discover tools during skill-building workshops on getting grants, working through conflict, and building your cultural agility.



For new and experienced city officials alike, you'll develop skills to help you overcome tough challenges.



Whether you're a first-time attendee or a regular participant, the conference is your place to network with city colleagues, exhibitors, and League staff.





BREITUNG POLICE DEPARTMENT

SERVING BREITUNG TOWNSHIP, THE TOWN OF SOUDAN, AND THE CITY OF TOWER

PHONE: (218) 753-6660

FAX: (218) 753-2407

41 1ST AVE • P.O. BOX 6

SOUDAN MN 55782

DANIEL REING

CHIEF OF POLICE

March 2022 Police Report

Calls for Service:

61 calls for service as of 3/30/2022

Arrests:

2 arrests

1 Gross Misdemeanor DWI

1 Gross Misdemeanor DWI

Citations:

1 Citation for Speed.

Investigations:

3 Investigations including:

1 Felony Criminal Damage to Property

Mileage:

40095 as of March 30, 2022

News and Updates: An application was received for a part time position. This is the first one since the department was reinstated. Chief Reing is familiar with the applicant and worked with him previously at a different department. A recommendation was received for properly storing our data when the body cameras are purchased. WatchGuard will not allow for purchasing the cameras without knowing the choice of storage of data. Hopefully winter is ending soon. The call volume is starting to rise. Planning for summer is underway. The yearly in service training has been scheduled for April 21st and 22nd in Ely. Ely PD and Babbitt will train with Breitung PD. Chief Reing has started the process of writing grants for the department.



facebook.com/breitungpolicedept



[@breitungpolice](https://twitter.com/breitungpolice)

Breitung Fire & Rescue
Box 337
33 1st Ave.
Soudan, Mn. 55782

February Fire Dept Report

Regular monthly and annual fire dept meeting was held on 2/09/22.

Training continues at our fire hall with our four new probationary firefighters. Unfortunately, we had a new hire resign due to personal issues.

Training was for February was for mandatory HazMat and OSHA training along with our quarterly SCBA.

We responded to three calls for service in February which included a public assist involving our snowmobile, a mutual aid call Tower for an automatic fire alarm, and a vehicle accident with injuries in which we conducted traffic control.

**ST. LOUIS COUNTY BOARD OF ADJUSTMENT
FINDINGS OF FACT, CONCLUSIONS AND DECISION**

Meeting Date: 2-10-2022

Case # 6297

APPLICANT: Mary Batinich
P.O. Box 871
Tower, MN 55790

LEGAL DESCRIPTION: Lot 2 and the South 40.70 feet of Lot 1, Block 7, Plat of Soudan, in S28, T62N, R15W (Breitung).

TESTIMONY AT THE FEBRUARY 10, 2022 HEARING:

The applicant is requesting relief from St. Louis County Zoning Ordinance 62, Article III, Section 3.2, to allow an addition at a reduced road centerline setback. *Stephen Erickson*, St. Louis County Planner, reviewed the staff report as follows:

- A. The applicant is proposing to construct a 25 foot by 26 foot addition to an existing accessory structure.
- B. The addition will not meet the required 48 foot centerline setback as the applicant is proposing a 38 foot setback.
- C. The structure is currently a garage, and the proposed addition will include living space, changing the use of the structure to a principal dwelling.
- D. A lot line adjustment was done between the subject parcel and the adjoining parcel in 2021 but has yet to be recorded.

Stephen Erickson reviewed staff facts and findings as follows:

- A. Official Controls:
 - 1. Zoning Ordinance 62 requires a 48 foot setback from the centerline of Center Street. Center Street is a residential street in Soudan.
 - 2. Goal LU-3 of the St. Louis County Comprehensive Land Use Plan is to improve the integrity of the county's planning-related regulation by minimizing and improving management of nonconformities.
 - 3. Objective LU-3.1 of the St. Louis County Comprehensive Land Use Plan is to base variance decisions on uniform approval criterion to ensure all applications are treated equitably, that community health and safety is protected, and that the overall character of a given area is preserved.
- B. Practical Difficulty:
 - 1. The existing structure conforms to the 48 foot centerline setback. The proposed living space addition will be setback 38 feet from the centerline.
 - 2. Center Street is a local road within the Plat of Soudan that is primarily used solely by the residents within the neighborhood. The Plat of Soudan is a unique area that is

similar to municipal areas in the county and as such may warrant a different setback requirement than other local county roads.

3. The addition could, however, be adjusted to meet the required setback.

C. Essential Character of the Locality:

1. Twelve variances have been approved within in the Plat of Soudan for reduced centerline setbacks.
2. The 48 foot road centerline setback may not make sense for the Plat of Soudan as a majority of the existing structures do not conform to this setback.

D. Other Factors:

1. A lot line adjustment was approved in 2021 to separate the existing garage from the business on the adjoining parcel to the north.
2. Minnesota Power has submitted a letter stating the overhead powerlines in this location could be adjusted to accommodate for the proposed addition.
3. The Soudan Sanitary District has signed off on the proposal.

Stephen Erickson noted two items of correspondence from Jill Wagoner in support and Laura Zoller with concerns but not in opposition. This correspondence was provided to the Board of Adjustment prior to the hearing.

STAFF RECOMMENDATION

Conditions that may mitigate the variance to allow an addition to a structure resulting in a reduced setback of 38 feet from the centerline of Center Street as proposed include, but are not limited to:

1. The proposal shall adhere to all local, state, and federal regulations.
2. The parcel review shall be recorded prior to issuance of a land use permit.

Mary Batinich, 30 Center Street, Soudan, the applicant, stated she bought the old Soudan hospital five and a half years ago and it is now a bed and breakfast. At her age, she wanted somewhere to live. She took ten feet from that hospital property to add to this other parcel. She wants to turn the old garage into a house she can live in. The addition will have a bathroom and bedroom she can live in.

No audience members spoke. There were no virtual attendees at this time.

The *Board of Adjustment* discussed the following:

- A. Board member *Filipovich* asked if the applicant's proposal is building further away from the road. *Stephen Erickson* stated because of the way the road curves and the angle of measurement, the new construction will be closer to the road.
- B. Board member *Filipovich* asked what changes would be made to the power pole. Board member *Werschay* mentioned they could be made taller.
- C. Board member *Skraba* stated the road setbacks in Soudan are the same for any other rural area. Rural and city are different for a reason. Something should be done so that road centerline setbacks are not an issue and there are not so many variances in Soudan.

DECISION

Motion by McKenzie/Skraba to approve a variance to allow an addition to a structure resulting in a reduced setback of 38 feet from the centerline of Center Street, based on the following facts and findings:

A. Official Controls:

1. Zoning Ordinance 62 requires a 48 foot setback from the centerline of Center Street. Center Street is a residential street in Soudan.
2. Goal LU-3 of the St. Louis County Comprehensive Land Use Plan is to improve the integrity of the county's planning-related regulation by minimizing and improving management of nonconformities.
3. Objective LU-3.1 of the St. Louis County Comprehensive Land Use Plan is to base variance decisions on uniform approval criterion to ensure all applications are treated equitably, that community health and safety is protected, and that the overall character of a given area is preserved.
4. The official controls recognize there may be instances where ordinance requirements may not reasonably fit the circumstances such as the applicant's situation to build in an urban setting when setback requirements are designed for a rural setting.
5. The variance request is in harmony with the general purpose and intent of official controls.

B. Practical Difficulty:

1. The existing structure conforms to the 48 foot centerline setback. The proposed living space addition will be setback 38 feet from the centerline.
2. Center Street is a local road within the Plat of Soudan that is primarily used solely by the residents within the neighborhood. The Plat of Soudan is a unique area that is similar to municipal areas in the county and as such may warrant a different setback requirement than other local county roads.
3. The applicant's request is to add on to the existing building which does not meet setback requirements. The applicant wishes to convert the building to a dwelling but needs to expand the building to make it a reasonable size.
4. Practical difficulty has been demonstrated in complying with the official controls.

C. Essential Character of the Locality:

1. Twelve variances have been approved within in the Plat of Soudan for reduced centerline setbacks.
2. The 48 foot road centerline setback may not make sense for the Plat of Soudan as a majority of the existing structures do not conform to this setback.
3. If granted a variance for a centerline setback is not unreasonable given the urban/residential setting.
4. The variance request will not alter the essential character of the locality.

D. Other Factors:

1. A lot line adjustment was approved in 2021 to separate the existing garage from the business on the adjoining parcel to the north.
2. Minnesota Power has submitted a letter stating the overhead powerlines in this location could be adjusted to accommodate for the proposed addition.

3. The Soudan Sanitary District has signed off on the proposal.
4. The structure has been located at this setback for decades. The applicant proposed to offset the addition which will result in a greater setback distance.
5. There have been 12 variances granted in the Plat of Soudan for road centerline setback.


The following conditions shall apply:


1. The proposal shall adhere to all local, state, and federal regulations.
2. The parcel review shall be recorded prior to issuance of a land use permit.

In Favor: Coombe, Filipovich, McKenzie, Pollock, Skraba, Werschay - 6
Opposed: None - 0

Motion carried 6-0

BY ORDER OF THE ST. LOUIS COUNTY BOARD OF ADJUSTMENT



Chair – Diana Werschay



Acting Secretary – Jenny Bourbonais

Signed and sworn to before me on this 25 day of March, 2022 by

Diana Werschay, Board Chair and Jenny Bourbonais, Acting Secretary

(Stamp)




(signature of notarial officer)

Title (and Rank): Information Specialist II

My commission expires: 1/31/2023
(month/day/year)

THIS INSTRUMENT WAS DRAFTED BY:

Angela Lepak
Government Services Center-Virginia
201 South 3rd Avenue West
Virginia, MN 55792

Recorded pursuant to MN Statutes 394.27, Subd. 8

Upon receipt of this Decision and prior to construction, a Land Use Permit must be obtained for each structure which will require an additional fee.



Saint Louis County

Planning and Community Development Department
www.stlouiscountymn.gov

Matthew Johnson
Director

To: 2022 Community Development Block Grant Program (CDBG) Award Recipients
From: Jill Zallar, Planner
Date: March 16, 2022
Re: Environmental Review and Procurement

A subrecipient cannot expend or commit any funds and bids may not be solicited or awarded, to contractors for projects proposed with the use of federal funding; this includes utility infrastructure projects and projects for construction, rehab, demolition of buildings, trails, playgrounds, or other physical structures, until St. Louis County has completed its environmental review process.

Congratulations! Your project has cleared environmental review and may move forward.

A couple reminders:

- Before requesting bids, please contact staff for the current federal wage decision and other documents that must be included in the bid solicitation and contract. Failure to do so may require rebidding of the project or make it ineligible for CDBG reimbursement.
 - (NOTE) The Federal Labor Standards 4010 and Section 3 processes have *both* been updated for the 2022 construction year.
 - *Contract training* will be scheduled after Notification of HUD funding allocations.
- 2022 awards have yet to be confirmed by the St. Louis County Board of Commissioners. While the CDBG Advisory Committee has completed its process, those recommendations must be approved by the County Board. That process will take place after HUD's notification to St. Louis County of its CDBG award.
Reduced funding from HUD may mean reduced funding to your project.
- Communities and agencies proceed at their own risk if undertaking their project prior to County Board approval and issuance of a 2022 CDBG contract with St. Louis County.
 - You may begin the proposed work prior to 5/1/2022. However, any costs incurred prior to MAY 01, are not reimbursable by CDBG.

Thank you for your cooperation and we look forward to another successful year!

Please contact Community Development staff persons with questions:

Steve Nelson: 742-9561 or nelsonst@stlouiscountymn.gov
Mike Vidmar: 742-9564 or vidmarm@stlouiscountymn.gov
Brad Gustafson: 742-9563 or gustafsonb@stlouiscountymn.gov
Jill Zallar: 742-9567 or zallarj@stlouiscountymn.gov
Laurie Kramka: 725-5007 or kramkal@stlouiscountymn.gov

☐ **Duluth Office**, Government Services Center
320 West 2nd Street, Suite 301, Duluth, MN 55802
Main Phone: (218) 725-5000
Toll Free in MN: 1-800-450-9777
On-Site Wastewater: (218) 725-5200
Fax: (218) 725-5029

☐ **Virginia Office**, Government Services Center
201 South 3rd Avenue West, Virginia, MN 55792
Main Phone: (218) 749-7103
Toll Free in MN: 1-800-450-9777
On-Site Wastewater: (218) 749-0625
Fax: (218) 749-7194

From: chairman@breitungtownship.org
Sent: Wednesday, March 16, 2022 7:43 AM
To: Senator Tom Bakk; rep.rob.ecklund@house.mn
Cc: Dianna Sunsdahl
Subject: Breitung Township SPRA - Soudan and Lake Vermilion state park
Attachments: Stuntz Bay Road SPRA.pdf

Tom and Rob:

We are seeking your support and help to approve the Township of Breitung's SPRA request for the Stuntz Bay Road Improvements. This is the entrance by the town hall in Soudan that provides access to the Stuntz Bay boathouses and landing, the Soudan mine winter entrance and the year round employee entrance to the entire park. We have been working with park manager Jim Essig and grant contact Dave Sabonia of the DNR and St. Louis County Engineering. Total project cost is \$469,000.

Attached is the application packet which was submitted on 10/28/21 per below. We would appreciate your help and support.

Thank you,
Tim Tomsich
Chairman

----- Original Message -----

Subject: RE: Breitung Township SPRA

Date: 2021-11-01 11:42

From: "Sabonia, Dave B (DNR)" <dave.sabonia@state.mn.us>

To: "chairman@breitungtownship.org" <chairman@breitungtownship.org>

Got it

-----Original Message-----

From: chairman@breitungtownship.org <chairman@breitungtownship.org>

Sent: Monday, November 1, 2021 8:28 AM

To: Sabonia, Dave B (DNR) <dave.sabonia@state.mn.us>

Subject: Re: Breitung Township SPRA

This message may be from an external email source.

Do not select links or open attachments unless verified. Report all suspicious emails to Minnesota IT Services Security Operations Center.

Good Morning Dave,
Could you reply back that you have received the grant application?
Thanks,
Tim

On 2021-10-28 14:21, chairman@breitungtownship.org wrote:

> Hi Dave:

> Please find attached our SPRA funding request for the Stuntz Bay Road.

> Thank you for your consideration.

> Tim Tomsich

> Chairman

> 218 780 5310

From: Doyle, Grace (OSS) <Grace.Doyle@state.mn.us>
Sent: Wednesday, March 2, 2022 5:25 PM
To: clerk@breitungtownship.org
Cc: Anderson, Bradley K (OSS)
Subject: VEGA-3 Grant Award Notice
Attachments: VEGA-3 Grant Contract Template (2-28-2022).docx

OFFICE OF THE MINNESOTA SECRETARY OF STATE

Date: March 2, 2022

To: Breitung Township
Attn: Dianna Sundahl
Township Clerk

From: David Maeda
Director of Elections
Office of the Minnesota Secretary of State

Subject: VEGA-3 Grant Award Notice

The Office of the Minnesota Secretary of State has received 72 VEGA-3 Grant Applications from 53 Counties and 19 Municipalities. The total amount requested by these applications was \$3,510,174.77. \$2,806,220.15 was requested for 1st Priority Requests, optical scan assistive voting devices (AVDs) and Optical Scan Precinct Count Ballot Counters that can process a four-column ballot. \$190,950.75 was requested for 2nd Priority Requests, electronic roster. \$513,003.87 was requested for other optical scan election equipment. There is \$1,938,256.25 available for VEGA-3 Grants. Since the requests for grant funds for the 1st Priority Requests exceeds the amount available for VEGA-3 Grants, VEGA-3 Grants are only being awarded to jurisdictions with 1st Priority requests on a pro-rata basis.

Congratulations, your VEGA-3 grant request was for a 1st Priority purpose and you are being awarded a VEGA-3 Grant in the amount of \$1,949.50, which is 69.06999973 percent of your requested amount. Your jurisdiction will be required to match that amount in purchasing your equipment.

A contract with these amounts will be sent to you for your signature. It will need to be signed and returned to the Secretary of State's Office before the Grant amount can be transferred to your jurisdiction. A blank copy of the contract is attached for informational purposes. (This is not the version you will need to sign)

If you have any questions, please contact Brad Anderson at Bradley.K.Anderson@state.mn.us or by phone at (651) 556-0642.

Sincerely,

Grace Doyle

State Elections Program Administrator

Pronouns: She/Her/Hers

Office of Minnesota Secretary of State, Steve Simon

180 State Office Building, 100 Rev. Dr. Martin Luther King Jr. Blvd.

St. Paul, MN 55155

Breitung Police Department Body Worn Camera Policy (BWC)

This written policy sets forth the Breitung Police Department guidelines for usage of the Body Worn Camera (BWC) as defined below and the administration of the data that results. This policy is written for all Breitung Police Officers. This policy is written in cohesion with the Minn. Stat. 626.8473 sub. 3.

Definitions in Policy

Body Worn Camera (BWC): is a portable recording system that is worn by Breitung Officers during the commission of their duty. The device is defined by Minn. Stat. 13.825 subdivision 1b (1) means a device worn by a peace officer that is capable of both video and audio recording of the officer's activities and interactions with others or collecting digital multimedia evidence as part of an investigation.

Adversarial: A contact that becomes hostile or confrontational towards the law enforcement parties present. This can be expressed verbally by swearing, yelling, challenging, threatening, or arguing or by expressing anger, resentment or hostility. This person may demand to be recorded or start to record the officer.

Retention of Data: The procedure and the length of time the recorded data will be kept before being disposed of per state statute guidelines.

Activation: The process of turning the record function of the BWC on during duty and incidents.

Evidentiary Value: Data or information that may be useful in a criminal prosecution, related civil or administrative proceeding, further investigation of an actual or suspected criminal acts, or considering an allegation against the law enforcement agency or officer.

Mandatory Activation

1. Breitung Officers will only use department issued BWCs while recording video during the commission of their official duties. Officers shall conduct a function test of their issued BWCs at the beginning of each shift to make sure the devices are operating properly. Officers noting a malfunction during testing or at any time shall promptly report the malfunction to the officer's supervisor and document the report in writing. The Department shall take prompt action to address the malfunctions.
2. It shall be the duty of all Breitung Police Officers to wear BWCs while on duty. In cases in which multiple officers will be deployed at one time. (e.g., 4th of July), officers should respond to calls with an officer equipped with a BWC, if at all possible.
3. It is the policy of the Department that the primary unit (officer on regular patrol shift) on a call for service shall be equipped with a BWC while on shift. The officer shall respond to every call for service with the BWC turned on. Including but not limited to emergency calls, general calls for service, and traffic stops, search warrants, arrests, criminal investigations interviewing involved parties, and all official law enforcement related encounters.

4. Officers shall activate their BWC immediately upon arrival of a call for service. However, if their safety were to be in danger in an effort to activate the BWC, then the activation should occur as soon as practical. Documentation of facts shall be included in the police report narrative explaining the circumstance.
5. Casual encounters with the general public not related to a call for service will be recorded at the discretion of the officer.

During criminal investigations interviewing involved parties.

6. All recordings are property of the Breitung Police Department. While recording, the Officers have no reasonable expectation of privacy. Officers have no affirmative duty to notify the general public that the BWC are recording and active. If parties present on the scene ask if the BWC is active, Breitung Police Officers will acknowledge that the fact.
7. Once activated, the BWC should continue to record until the incident has concluded and the Officer(s) clear the scene.
8. The BWC shall be active during any contact that force is used or the person is becoming adversarial.

Whenever an Officer fails to record an activity that is required to be recorded under this policy, or fails to record for the entire duration of the activity, the Officer must document the circumstances and reasons for not recording. The Chief of Police shall review these reports and initiate any corrective action deemed necessary.

Prohibited Usage

1. Personally owned BWCs are prohibited from use.
2. Breitung Police Officers shall not record other Breitung Officers during non-duty activities. This includes breaks, meals, private communications, or in area with privacy (bathroom, locker room/shower). The only exception is an official criminal or administrative investigation.
3. Breitung Police Officers shall not access the Department's BWC data except for legitimate law enforcement or data administration purposes.
4. Posting the BWC video to social media for personal usage.
5. Making copies of video and data for private usage and dissemination when it is not law enforcement related.
6. Accessing BWC data for non-business reasons.
7. No Officer is allowed to alter, edit, erase, or change the BWC recordings without express authorization from the Chief of Police.

Deactivating the BWC Procedures

The BWC may be deactivated following:

1. If the supervisor on scene authorizes the BWC can be deactivated.
2. While on scene and the incident has ended and further recording is unlikely to have any substance of evidentiary value. If the circumstances change, officers shall reactivate their BWCs as required by this policy to capture information of evidentiary value. If the call

for service is long running that the battery is about to deactivate the BWC, the Officer may shut the BWC off. This shall be documented and BWC should be activated as soon as practical to do so.

3. When the public parties involved request a stop in recording based on a privacy issue. This instance will be evaluated by the Officer on scene. As soon as the privacy concern has ended, the BWC shall be reactivated.

Breitung Police Officers are able to pause/deactivate recording to exchange information amongst other law enforcement personnel or while speaking to legal counsel. The camera lens may also be obstructed by Breitung Police Officers in the event of it capturing informants, undercover officers, or other citizens. This covering of the lens shall be documented on scene as soon as practical.

In the event of a use of force situation that involves significant injury or an officer involved shooting, the BWC will remain active until the supervisor authorizes its deactivation.

Dissemination of Data

- A. Data subjects. Under Minnesota law the following are considered data subjects for purposes of administering access to BWC data:
 1. Any person or entity whose image or voice documented in the data.
 2. The officer who collected the data. Any officer whose voice or image is documented in the data, regardless of whether that officer is or can be identified by the recording.
- B. BWC data is presumptively private. BWC recordings are classified as private data about the data subjects unless there is a specific law that provides differently. As a result:
 1. BWC data pertaining to people is presumed private, as is the BWC data pertaining to businesses or other entities.
 2. Some BWC data is classified as confidential (see C. below).
 3. Some BWC data is classified as public (see D. below).
- C. Confidential Data. BWC data that is collected or created as part of an active criminal investigation is confidential. This classification takes precedence over the “private” classification listed above and the “public” classifications listed below.
- D. Public Data. The following BWC data is public:
 1. Data documenting the discharge of a firearm by a peace officer in the course of duty, other than for training or the killing of an animal that is sick, injured, or dangerous.
 2. Data that documents the use of force by a peace officer that results in substantial bodily harm.
 3. Data that a data subject requests to be made accessible to the public, subject to redaction. Data on any data subject (other than a peace officer) who has not consented to the public release must be redacted, if practicable. In addition, any data on undercover officers must be redacted.
 4. Data that documents the final disposition of a disciplinary action against a public employee.

It is the policy of the Department that data also classified as private or otherwise not public, the data retains other classification and protections. For instance, data that reveals protected identities under Minn. Stat. 13.82 subd. 17 (e.g., certain victims, witnesses, and others) should not be released even if it would otherwise fit into one of the public categories listed above.

E. Protection of identities. The Breitung Police Department shall withhold public access to data on individuals to protect the identity of individuals in the following circumstances:

1. Victims and alleged victims of criminal sexual conduct and sex trafficking.
2. Victims of child abuse or neglect.
3. Vulnerable adults who are victims of maltreatment.
4. Undercover officers.
5. Informants.
6. Victims of and witnesses to crimes, if the victim or witness has requested not be identified publicly.
7. Individuals who called 911, and services subscribers whose lines were used to place a call to the 911 system.
8. Mandated reporters.
9. Juvenile witnesses, if the nature of the event or activity justifies protecting the identity of the witness.
10. Juveniles who are or may be delinquent or engaged in criminal acts.
11. Individuals who make complaints about violations with respect to the use of real property.
12. Officers and employees who are the subject of a complaint related to the events captured on video.
13. Other individuals whose identities the officer believes may be legally protected from public disclosure.

F. **Other authorized disclosures of data.** The Breitung Police Department may make data public that is otherwise private in compliance with state statute MN 13.82 subdivision. 15. Public benefit data. Any law enforcement agency may make any data classified as confidential or protected nonpublic pursuant to subdivision 7 or as private or nonpublic under section 13.825 or 626.19 accessible to any person, agency, or the public if the agency determines that the access will aid the law enforcement process, promote public safety, or dispel widespread rumor or unrest.

Video Retention Records

1. The video and evidentiary material recorded by the BWC will be docked on the docking station at the police department at the end of each shift.
2. Officers shall not delete, edit, or change the recordings on the BWC without permission from the Chief of Police.
3. The videos and data will be stored on Watchguard servers.
4. The Breitung Police Department shall have guidelines for retention of data as follows:
 1. All BWC data must be maintained for at least 90 days.
 2. BWC must be maintained for at least one year and destroyed according to the agency's records retention schedule if:
 - A. The data documents the discharge of a firearm by a peace officer in the course of duty other than the killing of an animal that is sick, injured, or dangerous, use of force by a peace officer that results in substantial bodily harm; or
 - B. The data documents circumstances giving rise to a formal complaint is made against a peace officer related to the incident.
 - C. If a subject of the data submits a written request to the law enforcement agency to retain the recording beyond the applicable retention period for possible evidentiary or exculpatory use related to the circumstances under which the data were collected, the law enforcement agency shall retain the recording for an additional time period requested by the subject of up to 180 days and notify the requester that the recording will then be destroyed unless a new request is made under this paragraph.
 - D. Notwithstanding paragraph (b) or (c), a government entity may retain a recording for as long as reasonably necessary for possible evidentiary or exculpatory use related to the incident with respect to which the data were collected.

Discipline

The unauthorized access to or disclosure of BWC data may constitute misconduct and subject individuals to disciplinary action and criminal penalties pursuant to Minn. Stat. 13.09. Any Breitung Police Officer who violates the guidelines set forth in this policy can be subject to discipline resulting in a verbal warning, written warning, suspension, and up to termination. Nothing in this policy limits or prohibits the use of BWC data as evidence of misconduct or as a basis for discipline.



DATE: March 29, 2022

TO: Chief Daniel Reing

Security By Roger
PO BOX A
Babbitt, MN 55706

REVIEW

SUBJECT: BODY CAM QUOTES

- ▶ Security by Roger respectfully declares it has no sales interest in this Watch Guard quote nor will receive any commission or similar reimbursement by Motorola or WatchGuard Video.

Both the Hibbing and Virginia Police Departments utilize WatchGuard Body cams. I have serviced these systems and have certification and experience in using the Vista Wi-Fi, V300 Body cams and the In-Car systems, as well as EL-4 and 5 Local Servers.

At first I leaned towards recommending a local storage solution, however after further research as well as recognizing the cost was for **5 years**, I am recommending QUOTATION - LGQ-0930-04 with the 50GBs per device. Since this is per device and shared across devices and the fact the PD can upload evidence videos to their Record Management System. This should prove to be adequate. Addition storage could be acquired later if needed. Security costs as well as maintenances costs will be reduced with cloud storage.

Squad video may not necessarily require cloud storage, however cloud storage for the squads would have a better synchronization.

An additional user license as quoted is probably not necessary, since each camera includes a user license. WatchGuard sales may need additional explanation on that cost.

Sincerely yours,

Roger Desilets



MOTOROLA SOLUTIONS

Quote For:

Breitung Police Department

Attn: Daniel Reing

Reference:

**Breitung Police Department (MN) 2-25-2022 VaaS (2) V300 (2) USB
Docks (1) TS CCE**

Quote By:

WatchGuard Video / Motorola Solutions

John Bowles

Date: 03-11-22

Serving Law Enforcement with the Most Compelling, Quality Video Products

WatchGuard Video

415 E. Exchange
Allen, TX 75002
(P) 800-605-6734 (F) 212-383-9661

**Prepared For:**

Breitung Police Department - Attention: Daniel Reing
Breitung Police Department (MN) 2-25-2022 VaaS (2) V300 (2) USB
Docks (1) TS CCE

QUOTATION - LGQ-0930-04**DATE: 03-11-22**

PROJECT QUOTATION

We at WatchGuard Video are pleased to quote the following systems for the above referenced project:

Deliverables / Materials / Services	Qty	Sell Price	Amount
Body-worn camera and evidence management software - 5 Year Video-as-a-Service Package @ \$49 per Month AAS-BWC-5YR-001 (PaaS) Video-as-a-Service includes CommandCentral Evidence, the cloud-based evidence management system with unlimited device storage and unlimited cloud sharing. 1 User License per Body Worn Camera. 50 GB of non-device storage included per device, averaged across all devices in the program CommandCentral Evidence, Records, Redaction, Sharing, Community Engagement capabilities and capture application included. Body-worn camera (battery + choice of mount included) Third year technology (Hardware) refresh. 5-year agreement (billed Quarterly or Annually) Advanced hardware replacement service & 24/7 support No-Fault hardware warranty	2	\$2,940.00	\$5,880.00
Pre Configured V300 Transfer Station II with Power Supply and Cables. BW-ACK-V3-TSC V300 Transfer Station II TS02, D350, 8-Slot Rack Mount Charge/Upload Dock, 10GB includes kit with Power Supply and Cables.	1	\$0.00	\$0.00
V300 Base Assembly, USB Desktop Dock WGA00640-KIT1	2	\$95.00	\$190.00
Upload Appliance (Agency Will Provide) 000-000	1	\$0.00	\$0.00

Shipping - BWC Unit	2	\$15.00	\$30.00
FRT-BWC-01			
Freight delivery for each Body Worn Camera Unit			

Miscellaneous Shipping	1	\$20.00	\$20.00
FRT-MISC			
Freight delivery for Hardware (Parts and/or Accessories)			

Quick Start Software Installation Service; Remote Install, Training, Configuration, Project Management, Consultation	1	\$1,500.00	\$1,500.00
WGW00122-410			

Subtotal Price	\$7,620.00
-----------------------	-------------------

Annual In Car Cloud Storage

Deliverables / Materials / Services	Qty	Sell Price	Amount
CC Evidence Unlimited Data Storage for ICV	1	\$624.00	\$624.00
SSV00S02784A			
Unlimited for In Car Video			
Priced Annually: \$52 per car per month			

Subtotal Price	\$624.00
-----------------------	-----------------

Additional Options

Deliverables / Materials / Services	Qty	Sell Price	Amount
Additional CommandCentral digital evidence user license - 5 Year License @ \$39 per Month	1	\$2,340.00	\$2,340.00
AAS-CCD-USR-5YR (<i>PaaS</i>)			
Additional license for CommandCentral cloud-based evidence management system.			
User licenses on a named-user basis.			
Unlimited cloud sharing.			
Select CommandCentral evidence capture, records, and community engagement capabilities included.			

V300, Battery, Removable and Rechargeable, 3.8V, 4180mAh	1	\$99.00	\$99.00
WGP02614			

Subtotal Price	\$2,439.00
-----------------------	-------------------

Due Now	\$2,463.00
Annual Invoice	\$1,644.00

Notes:

1. This Quote is valid for 90 days from the Quote Date. Pricing may change thereafter.
2. Any sales transaction resulting from this Quote is based on and subject to the applicable Motorola's Standard Terms and Conditions, notwithstanding terms and conditions on purchase orders or other Customer ordering documents.
3. Motorola's Standard Terms and Conditions are found at www.motorolasolutions.com/product-terms.
4. Payment Terms: Equipment-Net 30 days upon shipment; Installation-Net 30 days upon completion; Services and Subscription Agreements-Net 30 days from receipt of Order.
5. The pricing in this Quote does not include any applicable taxes (e.g. sales/use tax).
6. UNLESS OTHERWISE NOTED IN THIS QUOTE / ORDER, INSTALLATION OF EQUIPMENT IS NOT INCLUDED

Quoted by: John Bowles - Customer Engagement Specialist - 469-833-6330 - john.bowles@motorolasolutions.com

Quote ID: LGQ-0930-04 – Pricing Summary – 03-11-22

Total Spend:

Due Now	\$2,463.00
Year 1 Invoice(s)	\$1,644.00
Years 2-5 Invoice(s) (Pay Each Year)	\$1,644.00
Total Spend	\$10,683.00

Purchase as a Service (PaaS) Financial Profile

Total Price:	\$8,220.00
Contract Term:	5 Years
Monthly Payments:	\$137.00
Annual Invoice:	\$1,644.00

Deferred

Total Price	\$10,683.00
Direct Purchase Items	\$2,463.00
Deferred (5 Payments of \$1,644.00)	\$8,220.00

Due Now

Direct Purchase Items	\$2,463.00
Due Now	\$2,463.00

Motorola Solutions, Inc.

John Bowles

Date _____

Re: LGQ-0930-04

Agency: Breitung Police Department

Total Cost: \$10,683.00

Contract Reference: Breitung Police Department (MN) 2-25-2022 VaaS (2) V300 (2) USB Docks (1) TS CCE

Please be advised that the Breitung Police Department will purchase the goods and/or services offered in your Quote LGQ-0930-04. This constitutes a purchase pursuant to the terms of the specified contract below, including any applicable addenda.

Specified Contract: Master Customer Agreement and attached addenda, signed concurrently herewith.

Agency affirms that a purchase order or notice to proceed is not required for contract performance or for subsequent years of service, and acknowledges that pursuant to _____, the funds for this purchase has been authorized. Customer agrees to appropriate funding in accordance with the contract.

Invoices shall be according to the milestone schedule included in the quote and services agreement, should reference 'LGQ-0930-04' and be sent to:

Breitung Police Department

Attn: _____

The equipment will be shipped to the customer at the following address, and the ultimate destination where the equipment will be delivered to the customer is:

Breitung Police Department

Attn: _____

Sincerely,

Signature: _____

Name: _____

Title: _____

Email: _____

Online Terms Acknowledgement

This Online Terms Acknowledgement (this “**Acknowledgement**”) is entered into between Watchguard, Inc., with offices at 415 E. Exchange Pkwy, Allen, TX 75002 (“**Watchguard**”) and the entity set forth in the signature block below (“**Customer**”). Watchguard and Customer will each be referred to herein as a “**Party**” and collectively as the “**Parties**”.

1. Online Terms Acknowledgement. The Parties acknowledge and agree that the terms of the Master Customer Agreement (“**MCA**”) and applicable Addenda available at www.motorolasolutions.com/product-terms, including, without limitation, the Mobile Video Addendum, govern each Ordering Document (as defined in the MSA) between the Parties, including all statements of work, schedules, order forms, and other ordering documents, and further agree that the terms of the MCA and Addenda are incorporated therein and form part of the Parties’ Agreement (as defined in the MCA). For purposes herein, the respective rights and obligations assigned to Motorola Solutions, Inc. within the online terms shall apply to Watchguard, and the respective rights and obligations assigned to ‘Customer’ within the online terms shall apply to Customer signing below. By signing the signature block below, Customer certifies that it has read and agrees to the provisions set forth in this Acknowledgement and to the terms of the MCA and Addenda posted at www.motorolasolutions.com/product-terms, and the signatory to this Acknowledgement represents and warrants that he or she has the requisite authority to bind Customer to this Acknowledgement, the MCA and the Addenda.

2. Entire Agreement. This Acknowledgement supplements the terms of the MCA and applicable Addenda and forms a part of the Parties’ Agreement. This Acknowledgement, the MCA and applicable Addenda available at www.motorolasolutions.com/product-terms, and any all Ordering Documents between the Parties constitutes the entire agreement of the Parties regarding the subject matter hereof, and supersedes all previous agreements, proposals, and understandings, whether written or oral, relating to this subject matter.

3. Disputes; Governing Law. Sections 12 – Disputes of the MCA is hereby incorporated into this Acknowledgement *mutatis mutandis*.

4. Execution and Amendments. This Acknowledgement may be executed in multiple counterparts, and will have the same legal force and effect as if the Parties had executed it as a single document. The Parties may sign in writing or by electronic signature. An electronic signature, facsimile copy, or computer image of a signature, will be treated, and will have the same effect as an original signature, and will have the same effect, as an original signed copy of this document. This Acknowledgement may be amended or modified only by a written instrument signed by authorized representatives of both Parties.

The Parties hereby enter into this Acknowledgement as of the last signature date below.

Watchguard: Watchguard, Inc.

By: _____

Name: _____

Title: _____

Date: _____

Email: _____

Customer: Breitung Police Department

By: _____

Name: _____

Title: _____

Date: _____

Email: _____



Date: 3/14/22

To:
Tom Gorsma
Breitung Township Hockey Rink Lighting

Prepared by:
Chris Heikkila
chris.heikkila@amptekcontractors.com
(218) 750-2708

Project Estimate

1. Scope

This project includes the following:

- Provide and install 8 - 24inch Sonotube pole bases around the hockey rink
- Provide and install 8 – 25 foot steel light poles for hockey rink
- Provide and install 2 – single head LED fixtures and 6 – double head LED fixtures for the hockey rink lighting
- Provide and install 2 – 24inch Sonotube pole bases for walkway lighting
- Provide and install 2 – 10 foot steel pole lights for walkway
- Provide and install 2 – Decorative LED light fixtures for walkway
- Includes all connecting conduits and wiring back to existing panelboard

2. Execution

This estimate includes supply of labor, materials and equipment based on the pricing details page of this document.

3. Clarifications

Additional estimate clarifications

- Customer signature is required before the commencement of any work.
- The work that is covered by this estimate is as defined in this estimate.
- This estimate includes permit and inspection fees when required.
- This estimate does not include plan review and/or engineering fees unless noted.
- This estimate does not include customer owed utility company charges or fees unless noted.
- This estimate does not include any additional costs associated with hazardous materials (i.e. asbestos, PCB, etc.) unless noted.
- This estimate does not include any additional costs associated with correcting existing code violations or unknown installations, repairs, modifications or replacements encountered.
- Any costs associated with damage of unknown or unmarked utilities or systems are not included.
- All excavations for conduits and sonotube bases are excluded from this proposal and will be performed by others



Amptek Inc.

Electrical Contractors

www.amptekcontractors.com

4. Terms

All payments are due upon receipt of invoice

This estimate pricing is valid for 30 days

Payments by credit card will include an additional 3.5% surcharge

5. Pricing

Budgetary estimate based on customer description and known scope. This price is an estimate only and cannot account for unknown issues or unexpected issues. All work will be invoiced based on the rates below.

Budgetary Estimate: \$59,686.00

Standard Billable Rates

Electrician	\$105.00/hour
Apprentice	\$84.00/hour
Supervisor	\$123.00/hour

- **Service vehicles (truck/van) are included in this labor rate and are not an additional charge.**
- These rates apply to all hours worked Monday through Friday, 7:00am – 3:30pm.
- Overtime rates apply to hour worked outside of those detailed above and Premium rates apply to hours worked on weekends and holidays.
- Commercial projects requiring specialized installation equipment such as conduit threading machines, electric benders, tuggers, etc. will be invoiced per out standard equipment rates and reviewed with the customer prior to commencement of work.
- Supervisor rates applied to hours required for project layout, design, procurement, etc.
- Charges for any materials, permits, etc. will be itemized and billed at cost plus 10%.
- Charges for subcontractors and third-party services at cost plus 10%.

6. Authorization

The customers signature below acknowledges that they agree to the terms of this estimate and authorize the contractor to proceed as described.

Customer Name

Customer Signature

Date

This estimate and any affiliated attachments contain proprietary and confidential information of Amptek, Inc. (hereinafter "Amptek") and shall not be used, disclosed, or reproduced, in whole or in part, for any purpose other than to evaluate this estimate, without the prior written consent of Amptek.



Amptek Inc.

Electrical Contractors

www.amptekcontractors.com

This estimate and any affiliated attachments contain proprietary and confidential information of Amptek, Inc. (hereinafter "Amptek") and shall not be used, disclosed, or reproduced, in whole or in part, for any purpose other than to evaluate this estimate, without the prior written consent of Amptek.

Calculation Summary									
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min	Description	PtSpclr
Park, Planar	Illuminance	Fc	2.88	14.9	0.1	28.80	149.00	Readings taken at 0'-0" AFG	10
*** LAYOUT AND ILLUM ARE SUBJEST TO APPROVAL ***									

Luminaire Schedule									
Symbol	Qty	Tag	Label	Arrangement	Lum. Lumens	Arr. Lum. Lumens	LLF	Description	Total Watts
[-]	14	X	X34-195LSF-U	SINGLE	20381	20381	1.000	X34-195LSF-U	2247.504

Expanded Luminaire Location Summary									
LumNo	Tag	X	Y	MTG HT	Orient	Tilt			
1	X	103	213	28	300.964	55			
2	X	174	213	28	240.068	55			
3	X	98	47	28	37.875	55			
4	X	180	95	28	168.69	55			
5	X	180	92	28	198.435	55			
6	X	180	168	28	168.69	55			
7	X	180	165	28	198.435	55			
8	X	98	95	28	11.31	55			
9	X	98	168	28	11.31	55			
10	X	98	165	28	190.62	55			
11	X	98	92	28	181.591	55			
12	X	96.1	49.25	28	214.332	55			
13	X	178.4	46.3	28	127.349	55			
14	X	180.8	48.05	28	296.03	55			
Total Quantity: 14									

NOTES:

- The light loss factor (LLF) is a product of many variables, only lamp lumen depreciation (LLD) is included in this calculation.
- The luminaire output is based on the manufacturer's published data. The LLF is the result (quotient) of mean lumens / initial lumens per lamp manufacturer's specifications.
- Illumination values shown (in footcandles) are the predicted results for planes of calculation either to the plane of calculation.
- The calculated results of this lighting simulation represent an anticipated prediction of system performance. Actual measured results may vary from the anticipated performance and are subject to means and methods which are beyond the control of the designer.
- Mounting height determination is job site specific, our lighting simulations assume a mounting height (generation point of the luminaire symbol) to be taken at the top of the symbol for ceiling mounted luminaires and at the bottom of the symbol for all other luminaire mounting configurations.
- RAB Lighting Inc. luminaire and product designs are protected under U.S. and International intellectual property laws. Patents issued or pending apply.



High output LED pole top area light with IES type V circular distribution. Wide and uniform 360 degree pattern ideal for large outdoor areas such as parking lots, corporate parks, and retail settings.

Color: Bronze

Weight: 21.7 lbs

Project:

Type:

Prepared By:

Date:

Driver Info

Type	Constant Current
120V	0.22A
208V	0.13A
240V	0.11A
277V	0.10A
Input Watts 26.1W	

LED Info

Watts	26W
Color Temp	5000K (Cool)
Color Accuracy	70 CRI
L70 Lifespan	100,000 Hours
Lumens	3,431
Efficacy	131.5 lm/W

Technical Specifications

Compliance

UL Listed:

Suitable for wet locations

IESNA LM-79 & IESNA LM-80 Testing:

RAB LED luminaires and LED components have been tested by an independent laboratory in accordance with IESNA LM-79 and LM-80.

DLC Listed:

This product is on the Design Lights Consortium (DLC) Qualified Products List and is eligible for rebates from DLC Member Utilities. Designed to meet DLC 5.1 requirements.
DLC Product Code: PA9M8L6B

LED Characteristics

LEDs:

High-output, long-life LEDs

Color Consistency:

7-step MacAdam Ellipse binning to achieve consistent fixture-to-fixture color

Color Stability:

LED color temperature is warrantied to shift no more than 200K in color temperature over a 5-year period

Color Uniformity:

RAB's range of Correlated Color Temperature follows the guidelines of the American National Standard for Specifications for the Chromaticity of Solid State Lighting (SSL) Products, ANSI C78.377-2017.

Performance

Lifespan:

100,000-Hour LED lifespan based on IES LM-80 results and TM-21 calculations

Construction

Cold Weather Starting:

The minimum starting temperature is -40°C (-40°F)

Maximum Ambient Temperature:

Suitable for use in up to 40°C (104°F)

Effective Projected Area:

EPA = 1.2

Thermal Management:

Superior thermal management with external air-flow fins

Housing:

Precision die-cast aluminum, Type V distribution

Support Arms:

Extruded aluminum

Technical Specifications (continued)

Construction**Lens:**

Clear tempered glass lens

Reflector:

Specular vacuum-metallized polycarbonate, Type V distribution

Gaskets:

High-temperature silicone

Finish:

Formulated for high durability and long-lasting color

Green Technology:

Mercury and UV free. RoHS-compliant components.

Optical**BUG Rating:**

B2 U0 G1

Other**Equivalency:**

Equivalent to 100W Metal Halide

Patents:

The designs of the ALED5T52 are protected by patents pending in US, Canada, China, Taiwan and Mexico

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of five (5) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Electrical**Drivers:**


Constant Current, Class 2 with 6kV surge protection, 120-277VAC, 50/60 Hz, 120V: 0.22A, 208V: 0.13A, 240V: 0.11A, 277V: 0.10A

THD:

5.67% at 120V, 6.72% at 277V

Power Factor:

99.6% at 120V, 96.4% at 277V

Dimensions**Features**

- IES type V (circular) distribution
- 100,000-hour LED lifespan
- Compatible with standard 2 3/8" and 3" tenons
- "Air-Flow" fins for maximum heat dissipation
- 5-Year, No-Compromise Warranty

Ordering Matrix

Family	Distribution	Wattage	Color Temp	Finish	Driver Option	Options	Other Options
ALED	5T	26					
	5T = Type V	26 = 26W 52 = 52W 78 = 78W	Blank = 5000K Cool N = 4000K Neutral Y = 3000K Warm	Blank = Bronze W = White K = Black RG = Gray	Blank = 120-277V /D10 = Dimmable /BL = Bi-Level /480 = 480V /480/D10 = 480V w/ Dimmable	Blank = No Option /LC = Lightcloud® Controller /PCT = 120-277V Twistlock Photocell /PCT4 = 480V Twistlock Photocell	Blank = Standard USA = BAA Compliant



High output LED pole top area light with IES type V circular distribution. Wide and uniform 360 degree pattern ideal for large outdoor areas such as parking lots, corporate parks, and retail settings.

Color: Bronze

Weight: 21.6 lbs

Project:

Type:

Prepared By:

Date:

Driver Info

Type	Constant Current
120V	0.45A
208V	0.26A
240V	0.23A
277V	0.19A
Input Watts	53W

LED Info

Watts	52W
Color Temp	5000K (Cool)
Color Accuracy	70 CRI
L70 Lifespan	100,000 Hours
Lumens	6,567
Efficacy	123.9 lm/W

Technical Specifications

Compliance

UL Listed:

Suitable for wet locations

IESNA LM-79 & IESNA LM-80 Testing:

RAB LED luminaires and LED components have been tested by an independent laboratory in accordance with IESNA LM-79 and LM-80.

DLC Listed:

This product is on the Design Lights Consortium (DLC) Qualified Products List and is eligible for rebates from DLC Member Utilities. Designed to meet DLC 5.1 requirements.

DLC Product Code: P7UGPZMI

LED Characteristics

LEDs:

4x13W high-output, long-life LEDs

Color Consistency:

7-step MacAdam Ellipse binning to achieve consistent fixture-to-fixture color

Color Stability:

LED color temperature is warranted to shift no more than 200K in color temperature over a 5-year period

Color Uniformity:

RAB's range of Correlated Color Temperature follows the guidelines of the American National Standard for Specifications for the Chromaticity of Solid State Lighting (SSL) Products, ANSI C78.377-2017.

Performance

Lifespan:

100,000-Hour LED lifespan based on IES LM-80 results and TM-21 calculations

Construction

Cold Weather Starting:

Minimum starting temperature is -40°C (-40°F)

Maximum Ambient Temperature:

Suitable for use in up to 40°C (104°F)

Effective Projected Area:

EPA = 1.2

Housing:

Precision die-cast aluminum, Type V distribution

Support Arms:

Extruded aluminum

Lens:

Clear tempered glass lens

Technical Specifications (continued)

Construction

Reflector:

Specular vacuum-metallized polycarbonate,
Type V distribution

Gaskets:

High-temperature silicone

Finish:

Formulated for high durability and long-lasting
color

Green Technology:

Mercury and UV free. RoHS-compliant
components.

Optical

BUG Rating:

B3 U0 G2

Other

Equivalency:

Equivalent to 150W Metal Halide

Patents:

The designs of the ALED5T52 are protected by
patents pending in US, Canada, China, Taiwan
and Mexico

Warranty:

RAB warrants that our LED products will be free
from defects in materials and workmanship for a
period of five (5) years from the date of delivery
to the end user, including coverage of light
output, color stability, driver performance and
fixture finish. RAB's warranty is subject to all
terms and conditions found at
rablighting.com/warranty.

Buy American Act Compliance:

RAB values USA manufacturing! Upon request,
RAB may be able to manufacture this product to
be compliant with the Buy American Act (BAA).
Please contact customer service to request a
quote for the product to be made BAA
compliant.

Electrical

Drivers:

Constant Current, Class 2 with 6kV surge
protection, 120-277VAC, 50/60 Hz, 120V: 0.45A,
208V: 0.26A, 240V: 0.19A, 277V: 0.12A


THD:

3.27% at 120V, 6.42% at 277V

Power Factor:

99.9% at 120V, 96.4% at 277V

Dimensions



Features

- IES type V (circular) distribution
- 100,000-hour LED lifespan
- Compatible with standard 2 3/8" and 3" tenons
- "Air-Flow" fins for maximum heat dissipation
- 5-Year, No-Compromise Warranty

Ordering Matrix

Family	Distribution	Wattage	Color Temp	Finish	Driver Option	Options	Other Options
ALED	5T	52					
	5T = Type V	26 = 26W 52 = 52W 78 = 78W	Blank = 5000K (Cool) N = 4000K (Neutral) Y = 3000K (Warm)	Blank = Bronze W = White K = Black RG = Gray	Blank = 120-277V /D10 = Dimmable /BL = Bi-Level /480 = 480V /480/D10 = 480V w/ Dimmable	Blank = No Option /LC = Lightcloud® Controller /PCT = 120-277V Twistlock Photocell /PCT4 = 480V Twistlock Photocell	Blank = Standard USA = BAA Compliant



Bullhorn bracket safely supports HID floodlights. Great with Floodzilla, Megaflood and Flexflood models.

Color: Bronze

Weight: 21.1 lbs

Project:

Type:

Prepared By:

Date:

Technical Specifications

Construction

Finish:

Chip and fade resistant bronze polyester powder coating Weather resistant polyester powder, bronze

Bullhorns:

2 tenons for slip fitters. Bullhorns fit 2 3/8" (6cm) O.D. tenons and accommodate 2 3/8" (6cm) slip fitters. Steel tubing.150" and.200" thick welded.

Slipfitters & Wall Brackets:

3/16" thick steel with 1/2" nuts and bolts

Bracket EPA:

1.35.

Maximum Weight Capacity:

100 lbs per arm

EPA Maximum Capacity:

5.0 per arm.

Other


Patents:

The designs of fixtures are protected under U.S. and international intellectual property laws.

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Dimensions



Features

- Easy, secure floodlight mounting
- Double Reinforced weld joints



Square steel poles with welded tenon included for use with floodlights. Designed for ground mounting. Poles are stocked nationwide for quick shipment. Protective packaging ensures poles arrive at the job site good as new.

Color: Bronze

Weight: 240.0 lbs

Project:

Type:

Prepared By:

Date:

Technical Specifications

Compliance

CSA Listed:

Suitable for wet locations

Construction

Shaft:

46,000 p.s.i. minimum yield.

Hand Holes:

Reinforced with grounding lug and removable cover

Base Plates:

36,000 p.s.i. minimum yield.

Shipping Protection:

All poles are shipped in individual corrugated cartons to prevent finish damage

Color:

Bronze powder coating

Height:

25 FT

Gauge:

7

Wall Thickness:

3/16"

Shaft Size:

4"

Hand Hole Dimensions:

3" x 5"

Bolt Circle:

8 1/2"

Base Dimension:

8"

Weight:

272 lbs

Technical Specifications (continued)

Construction

Anchor Bolt:

Galvanized anchor bolts and galvanized hardware and anchor bolt template. All bolts have a 3" hook.

Anchor Bolt Templates:

WARNING Template must be printed on 11" x 17" sheet for actual size. CHECK SCALE BEFORE USING. Templates shipped with anchor bolts and available [online](#).

Pre-Shipped Anchor Bolts:

Bolts can be pre-shipped upon request for additional freight charge

Max EPA's/Max Weights:

70MPH 9.0 ft./330 lb.
80MPH 5.2 ft./325lb.
90MPH 2.6 ft./325 lb.
100MPH 0.8 ft./310 lb

Other


Terms of Sale:

Pole Terms of Sale is available [online](#).

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Dimensions



Features

- Designed for ground mounting
- Heavy duty TGIC polyester coating
- Reinforced hand holes with grounding lug and removable cover for easy wiring access
- Pole caps, base covers & bolts are sold separately
- Custom manufactured for each application



Square steel poles with welded tenon included for use with floodlights. Designed for ground mounting. Poles are stocked nationwide for quick shipment. Protective packaging ensures poles arrive at the job site good as new.

Color: Bronze

Weight: 83.0 lbs

Project:

Type:

Prepared By:

Date:

Technical Specifications

Compliance

CSA Listed:

Suitable for wet locations

Construction

Shaft:

46,000 p.s.i. minimum yield.

Hand Holes:

Reinforced with grounding lug and removable cover

Base Plates:

Slotted base plates 36,000 p.s.i.

Shipping Protection:

All poles are shipped in individual corrugated cartons to prevent finish damage

Color:

Bronze powder coating

Tenon:

Welded 2 3/8" tenon included

Height:

10 FT

Gauge:

11

Wall Thickness:

1/8"

Shaft Size:

4"

Hand Hole Dimensions:

3" x 5"

Bolt Circle:

8 1/2"

Base Dimension:

8"

Technical Specifications (continued)

Construction

Weight:

101 lbs

Anchor Bolt:

Galvanized anchor bolts and galvanized hardware and anchor bolt template. All bolts have a 3" hook.

Anchor Bolt Templates:

WARNING Template must be printed on 11" x 17" sheet for actual size. CHECK SCALE BEFORE USING. Templates shipped with anchor bolts and available [online](#).

Pre-Shipped Anchor Bolts:

Bolts can be pre-shipped upon request for additional freight charge

Max EPA's/Max Weights:

70MPH 28.8 ft./800 lb.
80MPH 21.6 ft./510 lb.
90MPH 16.5 ft./510 lb.
100MPH 12.9 ft./510 lb.
110MPH 10.3 ft./500 lb.
120MPH 8.3 ft./495 lb.
130MPH 6.7 ft./495 lb.
140MPH 5.5 ft./485 lb.
150MPH 4.5 ft./480 lb

Buy American Act Compliance:


RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Other

Terms of Sale:

Pole Terms of Sale is available [online](#).

Dimensions



Features

- Designed for ground mounting
- Heavy duty TGIC polyester coating
- Reinforced hand holes with grounding lug and removable cover for easy wiring access
- Pole caps, base covers & bolts are sold separately
- Custom manufactured for each application



General purpose lighting that's pocket friendly.

Color: Bronze

Weight: 10.8 lbs

Project:

Type:

Prepared By:

Date:

Driver Info

Type	Constant Current
120V	1.26A
208V	0.77A
240V	0.67A
277V	0.56A
Input Watts	148.4W

LED Info

Watts	160W
Color Temp	5000K (Cool)
Color Accuracy	82 CRI
L70 Lifespan	50,000 Hours
Lumens	20,945
Efficacy	141.1 lm/W

Technical Specifications

Compliance

UL Listed:

Suitable for wet locations. Suitable for ground mounting.

IESNA LM-79 & LM-80 Testing:

RAB LED luminaires and LED components have been tested by an independent laboratory in accordance with IESNA LM-79 and LM-80.

DLC Listed:

This product is listed by Design Lights Consortium (DLC) as an ultra-efficient premium product that qualifies for the highest tier of rebates from DLC Member Utilities. Designed to meet DLC 5.1 requirements.

DLC Product Code: PWDK3YFS

Electrical

Driver:

Constant Current, 120-277V, 50/60 Hz, 120V: 1.26A, 208V: 0.77A, 240V: 0.67A, 277V: 0.56A

Dimming Driver:

Driver includes wiring for 0-10V dimming systems. Dim as low as 10%.

THD:

4.67% at 120V, 5.43% at 277V

Power Factor:

99.8% at 120V, 96.6% at 277V

Note:

All values are typical (tolerance +/- 10%)

Optical

NEMA Type:

NEMA Beam Spread of 7H x 7V

LED Characteristics

LEDs:

Long-life, high-efficacy, surface-mount LEDs

Color Uniformity:

RAB's range of Correlated Color Temperature follows the guidelines of the American National Standard for Specifications for the Chromaticity of Solid State Lighting (SSL) Products, ANSI C78.377-2017.

Construction

IP Rating:

Ingress protection rating of IP65 for dust and water

EPA:

1.2

Cold Weather Starting:

The minimum starting temperature is -40°C (-40°F)

Technical Specifications (continued)

Construction

Maximum Ambient Temperature:

Suitable for use in up to 40°C (104°F)

Housing:

Precision die-cast aluminum

Mounting:

Slipfitter with tilt angle in 10° increments

Lens:

Tempered glass

Finish:

Formulated for high durability and long-lasting color

Green Technology:

Mercury and UV free. RoHS-compliant components.

Tilt Increment:

Rotates in 6 degree increments

Performance

Lifespan:

50,000-Hour LED lifespan based on IES LM-80 results and TM-21 calculations

Other

5 Yr Limited Warranty:

The RAB 5-year, limited warranty covers light output, driver performance and paint finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.


Trade Agreements Act Compliant:

This product is a product of Cambodia and a "designated country" end product that complies with the Trade Agreements Act

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Dimensions



Features

Versatile, general-purpose floodlight

7H x 7V NEMA distribution

0-10V dimming

IP65 rating protects against dust and water

50,000-Hour LED lifespan

Ordering Matrix

Family	Lumen Packages (values are nominal)	Mounting	CRI/Color Temp	Finish	Driver/Voltage
X34	195L	SF			/U
	100L = 11,000 Lumens, 87W 150L = 18,000 Lumens, 130W 195L = 20,000 Lumens, 160W	SF = Slipfitter T = Trunnion	Blank = 80 CRI, 5000K -840 = 80 CRI, 4000K -830 = 80 CRI, 3000K	Blank = Bronze W = White	/U = 120-277V, 0-10V Dimming


To: Dianna Sundahl

Breitung Township Clerk

I am writing this letter to notify you that I cannot accept the Township Supervisor position. I have come to this decision based on the legal opinion, that my position as the Tower-Breitung Wastewater Board full-time employee, also makes me a full-time employee of Breitung Township therefore causing a conflict of interest. My understanding was that as long as I wasn't appointed to the TBWWB, there would be no conflict but I was mistaken. Please accept my apologies to the staff and board for the additional work load this creates and know that I would not have done this intentionally. Many thanks to you for your service and I look forward to continue to work with you in the future.

Sincerely,

Matthew Tuchel



3/25/22

Received 3/25/22
Dianna Sundahl

367.03 MS 1957 [Repealed, 1959 c 675 art 13 s 1]

367.03 ANNUAL ELECTION OF OFFICERS; VACANCIES; SPECIAL ELECTIONS.

Subdivision 1. **Supervisors, terms.** Except in towns operating under option A or in towns operating as provided in subdivision 4, three supervisors shall be elected in each town at the town general election as provided in this section. Each supervisor shall be elected for a term of three years and shall serve until a successor is elected and qualified.

Subd. 2. **New towns.** When a new town is organized and supervisors are elected at a town meeting prior to the annual town election, they shall serve only until the next annual town election. At that election three supervisors shall be elected, one for three years, one for two years, and one for one year, so that the term of one shall expire each year. The number of years for which each is elected shall be indicated on the ballot.

Subd. 3. MS 1986 [Repealed, 1988 c 563 s 8]

Subd. 3. **Supervisors; towns under option A.** When two supervisors are to be elected for three-year terms under option A, a candidate shall indicate on the affidavit of candidacy which of the two offices the candidate is filing for. At following annual town elections one supervisor shall be elected for three years to succeed the one whose term expires at that time and shall serve until a successor is elected and qualified.

Subd. 4. MS 1982 [Repealed, 1983 c 359 s 151]

Subd. 4. **Officers; November election.** Except as provided in subdivision 4a, supervisors and other town officers in towns that hold the town general election in November shall be elected for terms of four years commencing on the first Monday in January and until their successors are elected and qualified. The clerk and treasurer shall be elected in alternate years.

Subd. 4a. **Optional six-year terms.** The resolution required under section 205.075, subdivision 2, to adopt the alternative November date for town general election may include the proposal and corresponding transition plan to provide for a six-year term for town supervisors. A town that has adopted the alternative November date for general town elections using the four-year terms provided under subdivision 4 may adopt a resolution establishing six-year terms for supervisors as provided under this subdivision. The resolution must include a plan to provide an orderly transition to six-year terms. The resolution adopting the six-year term for town supervisors may be proposed by the town board or by a resolution of the electors adopted at the annual town meeting and is effective upon an affirmative vote of the electors at the next town general election.

Subd. 5. **Election of clerk, treasurer.** Except in towns operating under option B or option D, or both, or in towns operating as provided in subdivision 4, at the annual town election in even-numbered years one town clerk and at the annual town election in odd-numbered years one town treasurer shall be elected. The clerk and treasurer each shall serve for two years and until their successors are elected and qualified.

Subd. 6. Vacancies. (a) When a vacancy occurs in a town office, the town board shall fill the vacancy by appointment. Except as provided in paragraph (b), the person appointed shall hold office until the next annual town election, when a successor shall be elected for the unexpired term.

(b) When a vacancy occurs in a town office:

(1) with more than one year remaining in the term; and

(2) on or after the 14th day before the first day to file an affidavit of candidacy for the town election;

the vacancy must be filled by appointment. The person appointed serves until the next annual town election following the election for which affidavits of candidacy are to be filed, when a successor shall be elected for the unexpired term.

(c) A vacancy in the office of supervisor must be filled by an appointment committee comprised of the remaining supervisors and the town clerk.

(d) Any person appointed to fill the vacancy in the office of supervisor must, upon assuming the office, be an eligible voter, be 21 years of age, and have resided in the town for at least 30 days.

(e) When, because of a vacancy, more than one supervisor is to be chosen at the same election, candidates for the offices of supervisor shall file for one of the specific terms being filled.

(f) When, for any reason, the town board or the appointment committee fails to fill a vacancy in the position of an elected town officer by appointment, a special election may be called. To call a special election, the supervisors and town clerk, or any two of them together with at least 12 other town freeholders, must file a statement in the town clerk's office. The statement must tell why the election is called and that the interests of the town require the election. When the town board or the appointment committee fails to fill a vacancy by appointment, a special town election may also be called on petition of 20 percent of the electors of the town. The percentage is of the number of voters at the last general election. A special town election must be conducted in the manner required for the annual town election.

(g) Law enforcement vacancies must be filled by appointment by the town board.

Subd. 7. Inability or refusal to serve. In addition to the events specified in section 351.02, a vacancy in a town office may be declared by the town board when an officer is unable to serve in the office or attend board meetings for a 90-day period because of illness, or because of absence from or refusal to attend board meetings for a 90-day period. If any of the preceding conditions occurs, the town board may, after the board by resolution has declared a vacancy to exist, make an appointment to fill the vacancy at a regular or special meeting for the remainder of the unexpired term or until the ill or absent member is again able to resume duties and attend board meetings, whichever is earlier. If the vacancy is in the office of supervisor, the vacancy must be filled by an appointment committee made up of the remaining supervisors and the town clerk. If the original member is again able to resume duties and attend board meetings, the board shall by resolution so determine and remove the appointed officeholder and restore the original member to office.

History: 1959 c 675 art 6 s 28; 1961 c 195 s 1,2; 1961 c 264 s 1,2; 1963 c 799 s 3; 1975 c 274 s 9; 1976 c 41 s 1; 1978 c 681 s 1,2; 1982 c 463 s 1; 1982 c 595 s 4-6; 1984 c 386 s 1; 1985 c 169 s 11; 1986 c 444; 1987 c 90 s 6; 1990 c 401 art 1 s 1; 1990 c 585 s 31; 1993 c 24 s 1; 1994 c 646 s 25; 1995 c 21 s 1; 1997 c 147 s 74; 1999 c 132 s 41; 2000 c 467 s 32; 1Sp2001 c 10 art 18 s 42; 2002 c 241 s 1; 2003 c 56 s 2; 2010 c 180 s 7,8

clerk@breitungtownship.org

From: Jason@AnimalHealthProfessionals.org
Sent: Friday, March 11, 2022 3:52 PM
To: clerk@breitungtownship.org
Subject: RE: Wednesday Web Inquiry
Attachments: COVID-19-PET-HEALTH-SAFETY.jpg; Hardee-County-Animal-Control.png; Susitna-Valley.png

Importance: High

Good Afternoon Dianna,

Happy TGIF to you :-)

I appreciate your response and effort in adding the COVID-19 Pet Safety web link to your website.
I know your animal loving web visitors will appreciate having access to this pet health safety information.

For your convenience, here is the COVID-19 Pet Safety web link to add:
petnewsdaily.com/covid-19-and-pet-health-safety/

I hope you enjoy your weekend ahead!

Sincerely – Jason
Animal Health Outreach Coordinator & Animal Lover

COVID-19

& PET HEALTH SAFETY

Pet owners need to stay updated on important medical information concerning COVID-19 **TO PROTECT THEIR FURRY FRIENDS**

Data provided by the following sources:



The COVID-19 virus **CAN SPREAD FROM PEOPLE TO ANIMALS** during close contact

PETS CAN BECOME SERIOUSLY ILL from a COVID-19 infection

THE FOLLOWING SYMPTOMS MAY BE EXHIBITED by pets sick with COVID-19:



Fever



Coughing



Difficulty breathing or shortness of breath



Lethargy (unusual lack of energy or sluggishness)



Sneezing



Runny nose



Eye discharge



Vomiting



Diarrhea

Types of Animals Infected With COVID-19



Dogs



Cats



Farmed Minks



Cougars



Tigers



Lions




Snow Leopards





Bats



Rabbits



Pigs



Cattle



Macaques



Marmosets

The Role of The CDC's

One Health

The CDC has
**IMPROVED OUR
UNDERSTANDING
OF HOW SARS-COV-2
AFFECTS ANIMALS**
and spreads between
people and animals

THE CDC

leads the

ONE HEALTH FEDERAL INTERAGENCY COVID-19 COORDINATION

(OH-FICC) Group to:

Bring together public health,
animal health, and environmental
health representations from more
than 20 federal agencies

Collaborate
and exchange
information

Research and develop guidance for:

Pets, wildlife,
zoo animals,
and livestock

Animal
diagnostics
and testing

Environmental
health issues
relating to
COVID-19



**TAKE THE NECESSARY STEPS
TO PROTECT YOURSELF AND
YOUR PET** during COVID-19

How to Protect Your Pet During COVID-19

TO KEEP YOUR PET SAFE AT HOME:





HARDEE COUNTY ANIMAL CONTROL

685 Airport Road, Wauchula FL 33873 (863) 773-2320

Animal Control Links

< Back to All Departments

Department Info

Animals for Adoption

Animals Impounded

☐ Pay Utility Bill Online

☐ InfoMap

☐ BOCC Meetings

☐ Report an Issue

Hardee County Animal Control

Prevent A Litter; Fix Your Critter with
Hardee County Dog/Cat Population Management

**SUPPORT SPAY AND
NEUTER PROGRAMS**



Hardee County has a Spay & Neuter Voucher program to help control pet populations. Please help Hardee County Dog/Cat Population Management and have your pet Spayed or Neutered. To apply, please download the form Dog/Cat Sterilization Voucher Application, and return to Hardee County Animal Control at 685 Airport Rd. Wauchula, FL 33873.



Shelter Visitation & Adoption Hours:

10:00-4:00 Monday-Friday


10:00-12:00 Saturday

*Appointments made available by request

COVID-19

& PET HEALTH SAFETY

Pet owners need to stay updated on important medical information concerning COVID-19 **TO PROTECT THEIR FURRY FRIENDS**



Data provided by the following sources:



The COVID-19 virus **CAN SPREAD FROM PEOPLE TO ANIMALS** during close contact


Community Radio for the Susitna Valley

KTNA 88.9 FM

about KTNA News Programs The Blue Tarp Support KTNA Announcements Community Calendar

Resources for COVID-19 Resilience

We compiled this list of informational resources to help our community stay informed and healthy, to help prevent the spread of COVID-19 and to share opportunities for economic relief.



Staying Healthy:

- Resources for Mental Wellbeing (DHSS)
- Coping With Stress (DHSS)
- Alaska Careline for mental health 1-877-266-4357
- Covid and Pet Health
- Here's where you can get tested in the Mat-Su (MSB)
- What to do if you think you might have COVID-19 (DHSS)
- What to do after you get tested (DHSS)
- Cleaning and Disinfecting your home or business (CDC)
- How to be a Covid Conscious Business (DHSS)
- Small Business Guidance and Resources (AKSBDC)

From: Liz Engelke <bessyann81@gmail.com>
Sent: Tuesday, March 29, 2022 3:45 PM
To: clerk@breitungtownship.org
Subject: Small plant business from home I will Sinsquestions

Hi,

I just have a few questions I'm hoping you can answer.

This is Liz Engelke, I live in Soudan at 12 Gordon street and i am wanting to start a small backyard nursery business, growing and selling perennial plants.

Are there any ordinances against growing plants in nursery pots in town here?

We live on a lot that is about an acre.

Would i need to put fences up to conceal the operation if it gets to the point where i have hundreds of potted plants lined up?

Is there a limit to how many people can come to my home if i sell plants from home or would i need to transport plants to another location to sell them?

I was thinking i would have maybe one or two days a week be a sales day, like on the weekends throughout the summer.

I wouldn't be selling a whole lot this summer other than a few on facebook and at the farmers market.
I'm starting perennials from seed this spring to grow in pots over summer and sell next year.

Since I'll be growing perennials, i will not need to put up greenhouses other than a small one for any tender seedlings
I'm starting in the spring like i usually do.

I'll be laying out some landscape fabric in fenced areas and line up the pots like they do at a plant nursery.

Thankyou for taking the time to read my message!
I appreciate any advice you can offer.

Elizabeth Engelke
Bessyann81@gmail.com

Get [BlueMail for Android](#)